



SIS

PRO-SEME

società italiana sementi

CATALOGUE



TRITICALE

TRITICALE



TRITICALE

		Alternativité	Pecocté epiaison (du 1° Avril)	Type d'epis	Taglia	Peso 1000 semi g	Destinazione
TRIBE		Alternativo	+23 giorni	Barbue	Alta	51 - 56	Grain - Ensilage
BREHAT		Alternativo	+34 giorni	Barbue	Alta	35 - 40	Granella - Trinciato
TRICANTO		Invernale	+38 giorni	Barbue	Alta	37 - 42	Granella - Trinciato
BIATHLON		Semi-Alternativo	+35 giorni	Barbue	Alta	38 - 45	Granella - Trinciato
POLO		Semi-Alternativo	+36 giorni	Barbue	Medio-Alta	39 - 46	Granella - Trinciato



TRITICALE TRIBE

Early cycle

NEW


Very early to favor
second harvests

- Very early and with maximum yields.
- High tolerance to fungal diseases.
- Large ear for maximum grain and silage yields.





MAIN TRAITS

Alternativity	Alternative
Heading time (from April 1 st)	+23 days
Head type	Awned
Plant height	Tall

QUALITY

	LOW	MEDIUM	HIGH
Seeding rate kg/ha			
Hectoliter weight			

RESISTENCES

	LOW	MEDIUM	GOOD	EXCELLENT
Lodging				
Winter hardiness				
Powdery mildew				
Yellow rust				

TRITICALE

BREHAT

Medium cycle

Excellent grain quality



• Excellent production of biomass

• High yield of grain

• Excellent resistance to fungal diseases

MAIN TRAITS

Alternativity Alternative

Heading time (from April 1 st) +34 days

Head type Awned

Plant height Tall

QUALITY

LOW MEDIUM HIGH

Seeding rate kg/ha



Hectoliter weight



RESISTENCES

LOW MEDIUM GOOD EXCELLENT

Lodging




Winter hardiness



Powdery mildew



Yellow rust



TRITICALE
TRICANTO



Medium – late cycle





Winter type for high yield



- **Excellent resistance to plant diseases.**
- **High energy potential.**
- **Excellent resistance to cold temperatures.**

MAIN TRAITS	
Alternativity	Winter
Heading time (from April 1 st)	+38 days
Head type	Awned
Plant height	Tall

QUALITY	LOW	MEDIUM	HIGH
Seeding rate kg/ha			
Hectoliter weight			

RESISTENCES	LOW	MEDIUM	GOOD	EXCELLENT
Lodging				
Winter hardiness				
Powdery mildew				
Yellow rust				

TRITICALE

BIATHLON

Medium cycle

NEW

Excellent yield potential and disease tolerance



- **Good tolerance to lodging.**
- **High specific weight and protein content.**
- **Excellent health profile, also suitable for organic farming.**

MAIN TRAITS

Alternativity	Mid alternative
Heading time (from April 1 st)	+35 days
Head type	Awned
Plant height	Tall

QUALITY

LOW MEDIUM HIGH

Seeding rate kg/ha



Hectoliter weight



RESISTENCES

LOW MEDIUM GOOD EXCELLENT

Lodging




Winter hardiness



Powdery mildew



Yellow rust



TRITICALE POLO

Medium cycle

NEW

Exceptional leafiness
and biomass



- **Excellent yield potential.**
- **Very fertile ear for high-quality silage.**
- **Great tolerance to winter cold and diverse soil types.**

MAIN TRAITS

Alternativity	Mid alternative
Heading time (from April 1 st)	+35 days
Head type	Awned
Plant height	Tall

QUALITY

Seeding rate kg/ha



Hectoliter weight



RESISTENCES

Lodging



Winter hardiness



Powdery mildew



Yellow rust

